- 18 (database with transmission with serial U.S.PAT; U.S.PGPUB, EPO; J.PO;	L Number	Hits	Search Text	DB	Time stamp
U.S-GPUB; EPO; IPO; DERWENT; IBM_TDB U.SPAT; U.S-GPUB; EPO; IPO; DERWENT] IBM_TDB U.SPAT; U.SPAG; U.SP	-				2004/07/29 11:42
PPO; JPO; DERWENT; IBM_TDB USPAT; USP-6PUB; EPO; JPO; DERWENT; I					, ,====================================
- 18 (database with transmission with serial) and @ad <= "2000128" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB				EPO; JPO;	
18					
- 4 ("4789852" "4906991" "5003307" "5142282").PN.					
Convert with (string or serial) Conv	-	18	(database with transmission with serial) and @ad <= "20000128"		2004/07/29 11:43
Care					
1					
- 1 1 5406280.URPN.					
- 190 (database near4 transm\$5) and (table) - 190 (database near4 transm\$5) and (table near2 format) - 190 (database near4 transm\$5) and (table near2 format) - 190 (database near4 transm\$5) and (table near2 format) - 190 (database near4 transm\$5) and (table near2 format)) and @ad	_	4	("4789852" "4906991" "5003307" "5142282") PN		2004/07/29 11:37
- 190 (database near4 transm\$5) and (table) - 190 (database near4 transm\$5) and (table near2 format) - 190 (database near4 transm\$5) and (table near2 format) - 183 ((database near4 transm\$5) and (table near2 format)) and @ad <= "20000128" - 14 (database near4 transm\$5) and (table near2 format) and (convert with (string or serial)) - 14 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" - 1 1 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" - 1 1 ((database near4 transm\$5) with (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" - 1 1 (database near4 transm\$5) with (table near2 format) - 1 2 (database near4 transm\$5) with (table near2 format) - 1 332 mysql with transmitting - 2004/07/29 12	_	1			
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	_	-			2004/07/29 11:43
PCPC; PPC; DERWENT; IBM_TDB USPAT; US-PGPUB; EPC; JPC; DERWENT;			, , , , ,		, , , , , , , , , , , , , , , , , , , ,
190 (database near4 transm\$5) and (table near2 format) 18M_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
- 190 (database near4 transm\$5) and (table near2 format) USPAT; US-PGPUB; EPC; JPO; DERWENT; IBM_TIDB USPAT; US-PGPUB; EPC; JPO; DERWENT; IBM_TDB USPAT; U				DERWENT;	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;				. —	
B3	_	190	(database near4 transm\$5) and (table near2 format)		2004/07/29 12:01
- 83 ((database near4 transm\$5) and (table near2 format)) and @ad < "20000128" 2004/07/29 14 USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; I					
BM_TDB					
- 83 ((database near4 transm\$5) and (table near2 format)) and @ad USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;			·		
Care Company	_	83	((database near4 transm45) and (table near) format)) and @ad	_	2004/07/20 14:25
- 14 (database near4 transm\$5) and (table near2 format) and (convert with (string or serial)) - 4 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) - 4 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB;		65			2004/07/29 14.33
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB;			~ 20000120		
- 14 (database near4 transm\$5) and (table near2 format) and (convert with (string or serial)) - 4 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; U					
14				,	
with (string or serial))	_	14	(database near4 transm\$5) and (table near2 format) and (convert		2004/07/29 12:27
- 4 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 1 (database near4 transm\$5) with (table near2 format) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 0 mysql with transmitting USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - 332 mysql Wysql USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB - USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
- 4 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J					
- 4 ((database near4 transm\$5) and (table near2 format) and (convert with (string or serial))) and @ad <= "20000128" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-PGPUB; US-					
Convert with (string or serial))) and @ad <= "20000128" US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; PO; JPO; J					
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; US-	-	4			2004/07/29 12:01
- 1 (database near4 transm\$5) with (table near2 format) - 1 (database near4 transm\$5) with (table near2 format) - 0 mysql with transmitting - 332 mysql DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;			(convert with (string or serial))) and @ad <= "20000128"		
- 1 (database near4 transm\$5) with (table near2 format) - 0 mysql with transmitting - 0 mysql with transmitting - 332 mysql					
- 1 (database near4 transm\$5) with (table near2 format) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;	_	1	(database near4 transm\$5) with (table near2 format)		2004/07/29 12:29
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;		_	,		200 1, 07, 25 22.25
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;					
- 0 mysql with transmitting USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	-	0	mysql with transmitting		2004/07/29 12:30
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
- 332 mysql IBM_TDB USPAT; US-PGPUB; EPO; JPO;					
- 332 mysql USPAT; 2004/07/29 12: US-PGPUB; EPO; JPO;					
US-PGPUB; EPO; JPO;	_	332	mysal		2004/07/20 12:30
EPO; JPO;		332	· · · · · · · · · · · · · · · · · · ·		200 1/07/23 12.30
			· ·		
				DERWENT;	
IBM_TDB				IBM_TDB	
	-	7	mysql and @ad <= "20000128"		2004/07/29 12:30
US-PGPUB;					
EPO; JPO;					
DERWENT;					
IBM_TDB 1 (((database poar4 transm\$5) with (table poar2 format))) and @ad_USDAT: 2004/07/20 144	_		(((database near) transmote) with (table near) formatill and and		2004/07/20 4 4 25
- 1 (((database near4 transm\$5) with (table near2 format))) and @ad USPAT; 2004/07/29 14: <= "20000128" US-PGPUB;	-	1			2004/07/29 14:35
<= 20000128 US-PGPOB; EPO; JPO;			~~ Z00001Z0		
DERWENT;					
IBM_TDB					

10 h				
_	. 0	(((database with transm\$5 with compres\$5) and (table near2 format))) and @ad <= "20000128"	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/29 14:36
-	12	((database same transm\$5 same compres\$5) and (table near2 format)) and @ad <= "20000128"	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:39
-	9	(database and table and (serial\$3 or string) and transmit\$4).ab. and @ad <= "20000128"	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:45
-	21592	("707").CLAS.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:45
-	30211	("709").CLAS.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:45
-	1897	(("707").CLAS.) and (("709").CLAS.) and @ad <= "20000128"	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/07/29 14:47
-	308	((("707").CLAS.) and (("709").CLAS.) and @ad <= "20000128") and compress\$4	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:48
-	228	((("707").CLAS.) and (("709").CLAS.) and @ad <= "20000128") and compress\$4 and database	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:48
-	163	((("707").CLAS.) and (("709").CLAS.) and @ad <= "20000128") and compress\$4 and database and server and client	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:52
-	124	((("707").CLAS.) and (("709").CLAS.) and @ad <= "20000128") and compress\$4 and database and server and client and table	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/07/29 14:53
			DERWENT; IBM_TDB	